

Replace all, report

Parameters:

Path: /usr/local/lib/node_modules

Looking for regex in *.js files

Total number of **replacements** found: 386

Backreferences in the search value: 0, = 0%

Backreferences in the replacement value: 47, ~ 12.18%

Others: 339, ~ 87.82%

Use cases with *split()* and *join()* methods: 59, ~ 15.28%

Use cases with *replace()* method and *g* flag: 327, ~ 84.72%

Use cases with *replaceAll()*: 0, = 0%

Skipped files:

We skipped the following files in this report:

1. ajv.min.js
2. nodent.min.js
3. regenerator.min.js
4. prettify.js
5. psl.min.js
6. bluebird.min.js
7. source-map.min.js
8. bluebird.core.min.js

Non-skipped files:

File name: /usr/local/lib/node_modules/npm/node_modules/npm-registry-fetch/index.js

- 27: registry.trim().replace(/\/?\$/g, '')

File name: /usr/local/lib/node_modules/npm/node_modules/hosted-git-info/git-host-info.js

- 73: return protocol.replace(/([\+*{}()[\]\\$^|])/g, '\\\$1')
- 78: return fragment.toLowerCase().replace(/\\W+|\\|\\W+\$/g, '').replace(/\\W+/g, '-')

File name: /usr/local/lib/node_modules/npm/node_modules/hosted-git-info/git-host.js

- 42: vars.path = vars.path ? vars.path.replace(/^[\/]+/g, '') : ''
- 68: vars.projectPath = rawProject.split('/').map(encodeURIComponent).join('/')
- 84: res = res.replace(new RegExp('[{}]' + key + '[]', 'g'), vars[key])

File name: /usr/local/lib/node_modules/npm/node_modules/promzard/example/npm-init/init-input.js

- 7: ? basename.replace(/^node-|[-.]js\$/g, ''): name),

File name: /usr/local/lib/node_modules/npm/node_modules/read-package-json/read-json.js

- 460: data = data.replace(/^\s*\s*/mg, '')

File name: /usr/local/lib/node_modules/npm/node_modules/http-cache-semantics/node4/index.js

- 43: cc[k] = v === undefined ? true : v.replace(/^"|"\$/g, ''); // TODO: lame unquoting

File name: /usr/local/lib/node_modules/npm/node_modules/init-package-json/default-input.js

- 15: return n.replace(/^node-|[-.]js\$/g, '').replace(' ', '-').toLowerCase()

File name: /usr/local/lib/node_modules/npm/node_modules/ssri/index.js

- 93: sep = sep.replace(/\\S+/g, ' ')

File name: /usr/local/lib/node_modules/npm/node_modules/lodash.union/index.js

- 265: .replace(/hasOwnProperty|function).*?(?=\(\)| for .+?(?=\(\)|))/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/dotenv/lib/main.js

- 28: value = value.replace(/\\n/gm, '\n')
- 32: value = value.replace(/(^['"]|['"]\$)/g, '').trim()

File name: /usr/local/lib/node_modules/npm/node_modules/strip-json-comments/index.js

- 10: return str.slice(start, end).replace(/\\S/g, '');

File name: /usr/local/lib/node_modules/npm/node_modules/npm-lifecycle/index.js

- 417: var envKey = (prefix + i).replace(/^[a-zA-Z0-9_]/g, '_')
- 478: k = i.substr(namePref.length).replace(/^[a-zA-Z0-9_]/g, '_')
- 481: k = i.substr(verPref.length).replace(/^[a-zA-Z0-9_]/g, '_')

- 484: var envKey = (prefix + i).replace(/[a-zA-Z0-9_]/g, '_')

File name: /usr/local/lib/node_modules/npm/node_modules/aws4/aws4.js

- 20: return urlEncodedString.replace(/['()*]/g, function(c) {
- 157: this.datetime = date.toISOString().replace(/[:\-\]|\\.\\d{3}/g, '')
- 231: if (normalizePath) pathStr = pathStr.replace(/\\/{2,}/g, '/')
- 242: if (decodeSlashesInPath) pathStr = pathStr.replace(/%2F/g, '/')
- 258: return header.toString().trim().replace(/\\s+/g, ' ')

File name: /usr/local/lib/node_modules/npm/node_modules/strict-uri-encode/index.js

- 2: module.exports = str => encodeURIComponent(str).replace(/['()*]/g, x => %\${x.charCodeAt(0).toString(16).toUpperCase()});

File name: /usr/local/lib/node_modules/npm/node_modules/query-string/index.js

- 199: let [key, value] = splitOnFirst(param.replace(/\\+/g, ' '), '=');

File name: /usr/local/lib/node_modules/npm/node_modules/cmd-shim/index.js

- 80: , target = shTarget.split("/").join("\\")
- 82: , shProg = prog && prog.split("\\").join("/")
- 86: shTarget = shTarget.split("\\").join("/")
- 141: + " SET \"_prog=\"" + longProg.replace(/(^)|("\$)/g, '') + "\"\\r\\n"
- 143: + " SET \"_prog=\"" + prog.replace(/(^)|("\$)/g, '') + "\"\\r\\n"

File name: /usr/local/lib/node_modules/npm/node_modules/spdx-correct/index.js

- 71: return argument.replace(/\\./g, '')
- 75: return argument.replace(/\\s+/g, '')
- 79: return argument.replace(/\\s+/g, '-')

File name: /usr/local/lib/node_modules/npm/node_modules/typedarray/index.js

- 15: Class: function(v) { return opts.call(v).replace(/^[object *\\]\$ /g, ''); },

File name: /usr/local/lib/node_modules/npm/node_modules/stringify-package/index.js

- 14: return json.replace(/\\n/g, CRLF) + CRLF

File name: /usr/local/lib/node_modules/npm/node_modules/iconv-lite/encodings/utf7.js

- 162: bufIdx += buf.write(base64Accum.slice(0, base64AccumIdx).toString('base64').replace(/\\/g, ',').replace(/=+\$/g, ''), bufIdx);
- 187: bufIdx += buf.write(base64Accum.toString('base64').replace(/\\/g, ',').replace(/=+\$/g, ''), bufIdx);
- 204: bufIdx += buf.write(this.base64Accum.slice(0, this.base64AccumIdx).toString('base64').replace(/\\/g, ',').replace(/=+\$/g, ''), bufIdx);
- 248: var b64str = base64Accum + buf.slice(lastI, i).toString().replace(/,/g, '/');
- 265: var b64str = base64Accum + buf.slice(lastI).toString().replace(/,/g, '/');

File name: /usr/local/lib/node_modules/npm/node_modules/iconv-lite/lib/index.js

- 113: return (''+encoding).toLowerCase().replace(/:\d{4}\$|^[^0-9a-z]/g, "");

File name: /usr/local/lib/node_modules/npm/node_modules/decamelize/index.js

- 10: .replace(/([a-z\d])([A-Z])/g, '\$1' + sep + '\$2')
- 11: .replace(/([A-Z]+)([A-Z][a-z\d]+)/g, '\$1' + sep + '\$2')

File name: /usr/local/lib/node_modules/npm/node_modules/libnpmconfig/index.js

- 34: .replace(/(?!\^)_/g, '-')

File name: /usr/local/lib/node_modules/npm/node_modules/mute-stream/mute.js

- 106: c = c.replace(/./g, this.replace);
- 118: c = c.toString().replace(/./g, this.replace)
- 127: c = c.toString().replace(/./g, this.replace)

File name: /usr/local/lib/node_modules/npm/node_modules/qs/dist/qs.js

- 123: var key = options.allowDots ? givenKey.replace(/\.([\^.\[]+)/g, '[\$1]') : givenKey;
- 534: return decodeURIComponent(str.replace(/\+/g, ' '));

File name: /usr/local/lib/node_modules/npm/node_modules/qs/lib/parse.js

- 89: var key = options.allowDots ? givenKey.replace(/\.([\^.\[]+)/g, '[\$1]') : givenKey;

File name: /usr/local/lib/node_modules/npm/node_modules/qs/lib/utils.js

- 112: return decodeURIComponent(str.replace(/\+/g, ' '));

File name: /usr/local/lib/node_modules/npm/node_modules/json-schema-traverse/index.js

- 80: return str.replace(/~/g, '~0').replace(/\//g, '~1');

File name: /usr/local/lib/node_modules/npm/node_modules/lodash._createset/index.js

- 130: .replace(/hasOwnProperty|function).*?(?=\(\)| for .+?(?=\)\)|/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/columnify/columnify.js

- 95: result[columnName] = result[columnName].replace(/[\^\\S\\n]/gmi, ' ');
- 98: result[columnName] = result[columnName].replace(/\\s/gmi, ' ');

File name: /usr/local/lib/node_modules/npm/node_modules/columnify/index.js

- 89: result[columnName] = result[columnName].replace(/[\^\\S\\n]/gmi, ' ');
- 92: result[columnName] = result[columnName].replace(/\\s/gmi, ' ');

File name: /usr/local/lib/node_modules/npm/node_modules/chalk/index.js

- 197: str = str.replace(/\r?\n/g, *code.close* & \${code.open});
- 217: parts.push(String(args[i - 1]).replace(/[\{\}\n]/g, '\\\$&'));

File name: /usr/local/lib/node_modules/npm/node_modules/lodash._getnative/index.js

- 44: fnToString.call(hasOwnProperty).replace(/[\^\\$.*+?() \[\] \{\} |]/g, '\\\$&')
- 45: .replace(/hasOwnProperty|function).*?(?=\n())| for .+(?=\n())/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/brace-expansion/index.js

- 19: return str.split('\\\\').join(escSlash)
- 20: .split('\\{').join(escOpen)
- 21: .split('\\}').join(escClose)
- 22: .split('\\,',').join(escComma)
- 23: .split('\\.',').join(escPeriod);
- 27: return str.split(escSlash).join('\\\\')
- 28: .split(escOpen).join('{')
- 29: .split(escClose).join('}')
- 30: .split(escComma).join(',')
- 31: .split(escPeriod).join('.');

File name: /usr/local/lib/node_modules/npm/node_modules/opener/lib/opener.js

- 60: return value.replace(/&/g, "&");

File name: /usr/local/lib/node_modules/npm/node_modules/ip-regex/index.js

- 17: `.replace(/\\s*\\/. *\$/gm, '').replace(/\\n/g, '').trim();

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/release/join.js

- 18: ".replace(/Index/g, i));
- 25: ".replace(/Index/g, i));
- 86: code = code.replace(/\[TheName\]/g, name)
- 87: .replace(/\[TheTotal\]/g, total)
- 88: .replace(/\[ThePassedArguments\]/g, passedArguments)
- 89: .replace(/\[TheProperties\]/g, assignment)
- 90: .replace(/\[CancellationCode\]/g, cancellationCode);

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/release/debuggability.js

- 574: var stack = error.stack.replace(/\\s+\$/g, "").split("\\n");

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/release/generators.js

- 162: this._stack.split("\\n").slice(1, -7).join("\\n")

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/release/call_get.js

- 32: ".replace(/methodName/g, methodName))(ensureMethod);

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/browser/bluebird.core.js

- 1099: var stack = error.stack.replace(/\s+\$/g, "").split("\n");
- 1875: ".replace(/Index/g, i));
- 1882: ".replace(/Index/g, i));
- 1943: code = code.replace(/\[TheName\]/g, name)
- 1944: .replace(/\[TheTotal\]/g, total)
- 1945: .replace(/\[ThePassedArguments\]/g, passedArguments)
- 1946: .replace(/\[TheProperties\]/g, assignment)
- 1947: .replace(/\[CancellationCode\]/g, cancellationCode);

File name: /usr/local/lib/node_modules/npm/node_modules/bluebird/js/browser/bluebird.js

- 333: ".replace(/methodName/g, methodName))(ensureMethod);
- 1246: var stack = error.stack.replace(/\s+\$/g, "").split("\n");
- 2212: this._stack.split("\n").slice(1, -7).join("\n")
- 2293: ".replace(/Index/g, i));
- 2300: ".replace(/Index/g, i));
- 2361: code = code.replace(/\[TheName\]/g, name)
- 2362: .replace(/\[TheTotal\]/g, total)
- 2363: .replace(/\[ThePassedArguments\]/g, passedArguments)
- 2364: .replace(/\[TheProperties\]/g, assignment)
- 2365: .replace(/\[CancellationCode\]/g, cancellationCode);

File name: /usr/local/lib/node_modules/npm/node_modules/npm-audit-report/reporters/detail.js

- 119: {'Path': \${resolution.path.split('>').join(Utils.color(' > ', 'grey', config.withColor))}},
- 162: {'Path': \${resolution.path.split('>').join(Utils.color(' > ', 'grey', config.withColor))}},

File name: /usr/local/lib/node_modules/npm/node_modules/semver/semver.js

- 909: range = range.split(/\s+/).join(' ')

File name: /usr/local/lib/node_modules/npm/node_modules/ini/ini.js

- 61: return str.replace(/\1/g, '\u0002LITERAL\\1LITERAL\u0002')
- 62: .replace(/\\\. /g, '\u0001')
- 64: return part.replace(/\1/g, '\\.')
- 65: .replace(/\2LITERAL\\1LITERAL\2/g, '\u0001')
- 126: var nl = l.replace(/\\\. /g, '.')
- 156: : val.replace(/;/g, '\\;').replace(/#/g, '\\#')

File name: /usr/local/lib/node_modules/npm/node_modules/minimatch/minimatch.js

- 124: pattern = pattern.split(path.sep).join('/')
- 524: tail = tail.replace(/((?:\\{2}){0,64})(\\?)\|/g, function (_, \$1, \$2) {
- 713: f = f.split(path.sep).join('/')
- 918: return s.replace(/\\(.)/g, '\$1')

- 922: return s.replace(/[-[\]{}()*+?.,\\^\$|#\s]/g, '\\\$&')

File name: /usr/local/lib/node_modules/npm/node_modules/npm-normalize-package-bin/index.js

- 37: const base = join('/', basename(binKey.replace(/\\|:/g, '/'))).substr(1)
- 43: .replace(/\\/g, '/').substr(1)

File name: /usr/local/lib/node_modules/npm/node_modules/colors/lib/colors.js

- 56: return ('' + str).replace(/x1B\\[\\d+m/g, '');

File name: /usr/local/lib/node_modules/npm/node_modules/lodash._baseuniq/index.js

- 179: .replace(/hasOwnProperty| (function).*?(?=\\|()| for .+?(?=\\|\\))/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/os-locale/index.js

- 17: env[def[0]] = def[1].replace(/~|"|\$/g, '');

File name: /usr/local/lib/node_modules/npm/node_modules/npm-logical-tree/index.js

- 46: this.address.replace(/:/g, '/node_modules/')

File name: /usr/local/lib/node_modules/npm/node_modules/node-gyp/node_modules/semver/semver.js

- 764: range = range.split(/s+/).join(' ');

File name: /usr/local/lib/node_modules/npm/node_modules/node-gyp/lib/util.js

- 21: const outReValue = value.replace(/W/g, '.')

File name: /usr/local/lib/node_modules/npm/node_modules/node-gyp/lib/process-release.js

- 127: return path.normalize(p).replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/node-gyp/lib/configure.js

- 174: variables[opt.replace(/-/g, '_')] = gyp.opts[opt]
- 316: nodeLibFile = nodeLibFile.replace(/\\/g, '\\\\')

File name: /usr/local/lib/node_modules/npm/node_modules/libnpv/child.js

- 84: ?'\${str.replace(/'/g, '""')}'"

File name: /usr/local/lib/node_modules/npm/node_modules/form-data/lib/form_data.js

- 225: filename = path.normalize(options.filepath).replace(/\\/g, '/');

File name: /usr/local/lib/node_modules/npm/node_modules/sshpk/lib/fingerprint.js

- 135: return (s.replace(/(.{2})(?=)/g, '\$1:'));

File name: /usr/local/lib/node_modules/npm/node_modules/sshpk/lib/formats/ssh.js

- 28: var trimmed = buf.trim().replace(/[\r\n]/g, '');
- 90: trailer = trailer.replace(/[\r\n]/g, ' ').

File name: /usr/local/lib/node_modules/npm/node_modules/sshpk/lib/algs.js

- 128: 'ffff').replace(/ /g, ''), 'hex'),
- 143: 'a0da64ba').replace(/ /g, ''), 'hex'),

File name: /usr/local/lib/node_modules/npm/node_modules/cross-spawn/node_modules/lru-cache/index.js

- 273: var key = util.inspect(item.key).split('\n').join('\n ')
- 285: val = util.inspect(val, opts).split('\n').join('\n ')

File name: /usr/local/lib/node_modules/npm/node_modules/cross-spawn/lib/util/escapeArgument.js

- 10: arg = arg.replace(/([()!^<>&|;,"'\s])/g, '^\$1');
- 14: arg = arg.replace(/(*)"/g, '\$1\$1\\');

File name: /usr/local/lib/node_modules/npm/node_modules/bin-links/index.js

- 140: const cleanMan = path.join('/', man).replace(/\\|:/g, '/').substr(1)
- 148: const cleanMan = path.join('/', man).replace(/\\|:/g, '/').substr(1)

File name: /usr/local/lib/node_modules/npm/node_modules/request/lib/hawk.js

- 8: var string = buffer.toString('base64').replace(/\+/g, '-').replace(/\/\//g, '_').replace(/=/g, '')
- 81: (hasExt ? '"', ext='"' + artifacts.ext.replace(/\\//g, '\\\\').replace(/"/g, '\\"') : '') +

File name: /usr/local/lib/node_modules/npm/node_modules/request/lib/auth.js

- 92: var cnonce = qop && uuid().replace(/-/g, '')

File name: /usr/local/lib/node_modules/npm/node_modules/request/lib/querystring.js

- 43: return str.replace(/['()]/g, function (c) {

File name: /usr/local/lib/node_modules/npm/node_modules/request/lib/oauth.js

- 28: oa.oauth_nonce = uuid().replace(/-/g, '')

File name: /usr/local/lib/node_modules/npm/node_modules/yargs/lib/completion.js

- 91: script = script.replace(/{{app_name}}/g, name)
- 92: script = script.replace(/{{completion_command}}/g, cmd)
- 93: return script.replace(/{{app_path}}/g, \$0)

File name: /usr/local/lib/node_modules/npm/node_modules/yargs/lib/command.js

- 132: const extraSpacesStrippedCommand = cmd.replace(/\\s{2,}/g, ' ')
- 142: cmd = cmd.replace(/\\s/g, '')

File name: /usr/local/lib/node_modules/npm/node_modules/yargs/lib/validation.js

- 25: demandedCommands._.minMsg ? demandedCommands._.minMsg.replace(/\\$0/g, _s).replace(/\\$1/, demandedCommands._.min) : null
- 36: demandedCommands._.maxMsg ? demandedCommands._.maxMsg.replace(/\\$0/g, _s).replace(/\\$1/, demandedCommands._.max) : null

File name: /usr/local/lib/node_modules/npm/node_modules/yargs/lib/usage.js

- 177: ui.div({usage[0].replace(/\\$0/g, base\$0)})
- 309: example[0] = example[0].replace(/\\$0/g, base\$0)
- 338: const e = epilog.replace(/\\$0/g, base\$0)

File name: /usr/local/lib/node_modules/npm/node_modules/glob/sync.js

- 411: prefix = prefix.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/glob/common.js

- 104: self.root = self.root.replace(/\\/g, "/")
- 110: self.cwdAbs = self.cwdAbs.replace(/\\/g, "/")
- 216: abs = abs.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/glob/glob.js

- 702: prefix = prefix.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/lodash.without/index.js

- 260: .replace(/hasOwnProperty|function).*?(?=\(\)| for .+?(?=\)\)|/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/camelcase/index.js

- 63: .replace(/[_.\-]+(\w|\$)/g, (m, p1) => p1.toUpperCase());

File name: /usr/local/lib/node_modules/npm/node_modules/decode-uri-component/index.js

- 74: input = input.replace(new RegExp(key, 'g'), replaceMap[key]);
- 86: encodedURI = encodedURI.replace(/\+/g, ' ');

File name: /usr/local/lib/node_modules/npm/node_modules/uuid/lib/v35.js

- 6: uuid.replace(/[a-fA-F0-9]{2}/g, function(hex) {

File name: /usr/local/lib/node_modules/npm/node_modules/npm-package-arg/npa.js

- 172: const spec = res.rawSpec.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/tar/lib/winchars.js

- 21: encode: s => raw.reduce((s, c) => s.split(c).join(toWin.get(c)), s),
- 22: decode: s => win.reduce((s, c) => s.split(c).join(toRaw.get(c)), s)

File name: /usr/local/lib/node_modules/npm/node_modules/tar/lib/write-entry.js

- 67: this.path = winchars.decode(this.path.replace(/\\/g, '/'))
- 68: p = p.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/node_modules/qw/qw.js

- 23: const theseWords = arg.replace(/^\s+|\s+\$/g, '').replace(/\s+/g, ' ').split(/ /)

File name: /usr/local/lib/node_modules/npm/node_modules/oauth-sign/index.js

- 13: .replace(/!/g, '%21')
- 14: .replace(/\/g, '%2F')
- 15: .replace(/%/g, '%25')
- 16: .replace(/\\g, '%5C')
- 17: .replace(/'/g, '%27')

File name: /usr/local/lib/node_modules/npm/node_modules/dashdash/lib/dashdash.js

- 26: return s.replace(/{{([a-zA-Z]+)}}/g, function (match, key) {
- 103: return name.replace(/-/g, '_');

File name: /usr/local/lib/node_modules/npm/node_modules/ajv/dist/ajv.bundle.js

- 1243: .replace(/\\n/g, '\\n')
- 1244: .replace(/\\r/g, '\\r')
- 1245: .replace(/\\f/g, '\\f')
- 1246: .replace(/\\t/g, '\\t');
- 1259: expr = expr.replace(/\$/g, '\$\$\$\$');
- 1260: return str.replace(new RegExp(dataVar, 'g'), expr + '\$1');
- 1319: ? '\\/' + ' + expr + (isNumber ? '' : '.replace(/~/g, '\\~0').replace(/\\/g, '\\~1\\'))
- 1372: return (a + ' + ' + b).replace(/' \+/g, '');
- 1387: return str.replace(/~/g, '~0').replace(/\\/g, '~1');
- 1392: return str.replace(/~1/g, '/').replace(/~0/g, '~');
- 2117: var \$code = it.validate(\$it).replace(/validate\\.schema/g, \$validateCode);
- 3736: var \$code = it.validate(\$it).replace(/validate\\.schema/g, \$refVal.code);
- 5369: return str.replace(/~/g, '~0').replace(/\\/g, '~1');
- 6416: rest = rest.split(ae).join(esc);
- 6518: pathname = pathname.replace(/[#]/g, function(match) {

File name: /usr/local/lib/node_modules/npm/node_modules/ajv/scripts/compile-dots.js

- 55: v = v.replace(/\$/g, '\\\$\$\$');

File name: /usr/local/lib/node_modules/npm/node_modules/ajv/lib/compile/util.js

- 117: .replace(/\\n/g, '\\n')
- 118: .replace(/\\r/g, '\\r')
- 119: .replace(/\\f/g, '\\f')

- 120: .replace(/\t/g, '\\t');
- 133: expr = expr.replace(/\\$/g, '\$\$\$\$');
- 134: return str.replace(new RegExp(dataVar, 'g'), expr + '\$1');
- 193: ? '\\'/\ ' + ' + expr + (isNumber ? ' ' : '.replace(/~/g, \'~0\').replace(/\\/g, \'~1\'))')
- 246: return (a + ' + ' + b).replace(/' \+ '/g, '');
- 261: return str.replace(/~/g, '~0').replace(/\\/g, '~1');
- 266: return str.replace(/~1/g, '/').replace(/~0/g, '~');

File name: /usr/local/lib/node_modules/npm/node_modules/ajv/lib/dotjs/custom.js

- 72: var \$code = it.validate(\$it).replace(/validate\.schema/g, \$validateCode);

File name: /usr/local/lib/node_modules/npm/node_modules/ajv/lib/dotjs/ref.js

- 70: var \$code = it.validate(\$it).replace(/validate\.schema/g, \$refVal.code);

File name: /usr/local/lib/node_modules/npm/node_modules/graceful-fs/graceful-fs.js

- 30: m = 'GFS4: ' + m.split(/\n/).join('\nGFS4: ')

File name: /usr/local/lib/node_modules/npm/node_modules/json-schema/lib/links.js

- 56: return linkTemplate.replace(/\{([^\}]*)\}/g, function(t, property){

File name: /usr/local/lib/node_modules/npm/node_modules/debug/src/node.js

- 56: .replace(/_([a-z])/g, function (_, k) { return k.toUpperCase() });
- 115: args[0] = prefix + args[0].split('\n').join('\n' + prefix);

File name: /usr/local/lib/node_modules/npm/node_modules/debug/src/browser.js

- 108: args[0].replace(/%[a-zA-Z%]/g, function(match) {

File name: /usr/local/lib/node_modules/npm/node_modules/debug/src/debug.js

- 95: args[0] = args[0].replace(/%([a-zA-Z%])/g, function(match, format) {
- 164: namespaces = split[i].replace(/\/*/g, '.*?');

File name: /usr/local/lib/node_modules/npm/node_modules/lodash.uniq/index.js

- 224: .replace(/hasOwnProperty|(function).*?(?=\\\()| for .+?(?=\\\))/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/lodash.clonedeep/index.js

- 319: .replace(/hasOwnProperty|(function).*?(?=\\\()| for .+?(?=\\\))/g, '\$1.*?') + '\$'

File name: /usr/local/lib/node_modules/npm/node_modules/npm-cache-filename/index.js

- 11: var h = u.host.replace(/:/g, '_');

- 20: return encodeURIComponent(part).replace(/%/g, '_');

File name: /usr/local/lib/node_modules/npm/docs/src/templates/Page.js

- 16: const html = pageData.html.replace(/@VERSION@/g, version)

File name: /usr/local/lib/node_modules/npm/scripts/changelog.js

- 51: .replace(/^\s+/mg, '')
- 53: .replace(/~/mg, ' ')
- 56: .replace(/^(\\s*[@\\s]+@\\d+[.\\d+](\\s*\\S))/g, '\$1:\$2')
- 57: .replace(/\\b([@\\s]+@\\d+[.\\d+](\\s*\\S))\\b/g, '\$1')
- 59: .replace(/\\b([a-f0-9]{7,8})\\b/g, '[1'](https://github.com/npm/cli/commit/1)')
- 60: .replace(/\\b#(\\d+)\\b/g, '#\$1(https://npm.community/t/\$1)')
- 74: line = line.replace(/\\r/g, '')

File name: /usr/local/lib/node_modules/npm/scripts/docs-build.js

- 17: var result = data.replace(/@VERSION@/g, npm.version)
- 18: .replace(/---(\\s\\S+)---/g, '')
- 19: .replace(/\\([\\^\\])+)\\(\\(\\cli-commands\\(\\([\\^])+)\\)/g, replacer)
- 20: .replace(/\\([\\^\\])+)\\(\\(\\configuring-npm\\(\\([\\^])+)\\)/g, replacer)
- 21: .replace(/\\([\\^\\])+)\\(\\(\\using-npm\\(\\([\\^])+)\\)/g, replacer)
- 22: .replace(/(#.*)\\s+(## (.*)/g, '\$1 - \$3')

File name: /usr/local/lib/node_modules/npm/lib/fetch-package-metadata.js

- 52: var err = new Error(Can't install from windows path on a non-windows system: \${dep.fetchSpec.replace(/[/]/g, '\\)})

File name: /usr/local/lib/node_modules/npm/lib/npm.js

- 170: addCommand(c.replace(/-([a-z])/g, function (a, b) {
- 185: c = c.replace(/([A-Z])/g, function (m) {
- 280: ua = ua.replace(/\\{node-version\\}/gi, process.version)
- 281: ua = ua.replace(/\\{npm-version\\}/gi, npm.version)
- 282: ua = ua.replace(/\\{platform\\}/gi, process.platform)
- 283: ua = ua.replace(/\\{arch\\}/gi, process.arch)
- 302: ua = ua.replace(/\\{ci\\}/gi, ci)

File name: /usr/local/lib/node_modules/npm/lib/install/inflate-shrinkwrap.js

- 73: return str.replace(/([A-Za-z_0-9])/g, '\\\$1')

File name: /usr/local/lib/node_modules/npm/lib/ls.js

- 288: dep._deduped = path.relative(root.path, dep.path).replace(/node_modules\\/g, '')

File name: /usr/local/lib/node_modules/npm/lib/config/core.js

- 353: .replace(/(?!\^)_/g, '-')

File name: /usr/local/lib/node_modules/npm/lib/run-script.js

- 182: joinedArgs += ' ' + arg.replace(/"/g, '\\\"') + ' '

File name: /usr/local/lib/node_modules/npm/lib/pack.js

- 69: ? mani.name.substr(1).replace(/\\/g, '-')

File name: /usr/local/lib/node_modules/npm/lib/completion.js

- 174: if (w.charAt(0) === '\\') return w.replace(/^'|'\$/g, '')
- 175: else return w.replace(/\\/g, ' ')

File name: /usr/local/lib/node_modules/npm/lib/utls/read-user-info.js

- 31: if (isRetry && otp && /^[\\d]+\${}^[A-Za-f0-9]{64,64}\$/.test(otp)) return otp.replace(/s+/g, '')

File name: /usr/local/lib/node_modules/npm/lib/utls/locker.js

- 13: var c = name.replace(/^[a-zA-Z0-9]+/g, '-').replace(/^-+|+\$/g, '')

File name: /usr/local/lib/node_modules/npm/lib/utls/escape-exec-path.js

- 24: return path.normalize(str).split(/\\/).map(quotes).join('\\')
- 26: return "" + str.replace(/'/g, '\\\"') + ""

File name: /usr/local/lib/node_modules/npm/lib/utls/module-name.js

- 13: if (scoped[0] === '@') return scoped.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/lib/utls/completion/file-completion.js

- 20: return f.substr(root.length + 1).replace(/~|\/\$/g, '')

File name: /usr/local/lib/node_modules/npm/lib/utls/unix-format-path.js

- 4: return path.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/npm/lib/utls/escape-arg.js

- 22: return "" + str.replace(/'/g, '\\\"') + ""

File name: /usr/local/lib/node_modules/npm/lib/utls/error-handler.js

- 22: logFileName = path.resolve(npm.config.get('cache'), '_logs', (new Date()).toISOString().replace(/[:]/g, '_') + '-debug.log')

File name: /usr/local/lib/node_modules/npm/lib/utls/error-message.js

- 417: if (msg[1]) msg[1] = msg[1].toString().replace(/(^|\\n)/g, '\$1SKIPPING OPTIONAL DEPENDENCY: ')

File name: /usr/local/lib/node_modules/npm/lib/config.js

- 113: .replace(/^/g, ' ');
- 114: .replace(/\n/g, '\n');

File name: /usr/local/lib/node_modules/npm/lib/version.js

- 308: const message = npm.config.get('message').replace(/%s/g, version)

File name: /usr/local/lib/node_modules/npm/lib/help.js

- 204: (usage.split('\n').join('\n' + (new Array(maxLen + 6).join(' '))))

File name: /usr/local/lib/node_modules/npm/lib/search/format-package-stream.js

- 58: return pkg[col] && ('' + pkg[col]).replace(/\t/g, ' ')
- 119: line = line.split(String.fromCharCode(m)).join(color)
- 122: return line.split('\u0000').join(uncolor)
- 167: .split('T').join(' ')

File name: /usr/local/lib/node_modules/live-server/node_modules/toidentifier/index.js

- 29: .replace(/[^_0-9a-z]/gi, '')

File name: /usr/local/lib/node_modules/live-server/node_modules/extglob/index.js

- 85: return [pattern.split('\\').join('')];

File name: /usr/local/lib/node_modules/live-server/node_modules/extglob/lib/compiler.js

- 166: var val = node.val.replace(/[\[\]]/g, '\\\$&');

File name: /usr/local/lib/node_modules/live-server/node_modules/file-uri-to-path/test/test.js

- 14: var expected = tests[uri].replace(/\\/g, sep);

File name: /usr/local/lib/node_modules/live-server/node_modules/file-uri-to-path/index.js

- 55: path = path.replace(/\\/g, '\\');

File name: /usr/local/lib/node_modules/live-server/node_modules/to-regex/index.js

- 108: regex = new RegExp('^' + pattern.replace(/(\W)/g, '\\\$1') + '\$');

File name: /usr/local/lib/node_modules/live-server/node_modules/anymatch/node_modules/normalize-path/index.js

- 14: str = str.replace(/[\\\\/]+/g, '/');

File name: /usr/local/lib/node_modules/live-server/node_modules/expand-brackets/index.js

- 75: return [pattern.split('\\').join('')];

File name: /usr/local/lib/node_modules/live-server/node_modules/expand-brackets/lib/compiler.js

- 21: return this.emit(node.val.replace(/([{}])/g, '\\\$1'), node);

- 64: inner = inner.split('-').join('\\-');
- 77: inner = inner.replace(/\\([1-9])/g, '\$1');

File name: /usr/local/lib/node_modules/live-server/node_modules/snapdragon/lib/utils.js

- 16: return fp.split(/\\+/).join('/');

File name: /usr/local/lib/node_modules/live-server/node_modules/kind-of/index.js

- 65: return type.slice(8, -1).toLowerCase().replace(/s/g, '');

File name: /usr/local/lib/node_modules/live-server/node_modules/faye-websocket/lib/faye/eventsource.js

- 99: message = String(message).replace(/(\\r\\n|\\r|\\n)/g, '\$1data: ');

File name: /usr/local/lib/node_modules/live-server/node_modules/websocket-extensions/lib/parser.js

- 34: data = args[3].replace(/\\/g, '');
- 64: values.push(key + '=' + value.replace(/"/g, '\\\"') + '');

File name: /usr/local/lib/node_modules/live-server/node_modules/colors/lib/colors.js

- 56: return ('' + str).replace(/\\x1B\\[\\d+m/g, '');

File name: /usr/local/lib/node_modules/live-server/node_modules/opn/index.js

- 49: target = target.replace(/&/g, '^&');

File name: /usr/local/lib/node_modules/live-server/node_modules/http-auth/src/auth/base.js

- 138: let users = fs.readFileSync(this.options.file, 'UTF-8').replace(/\\r\\n/g, '\\n').split("\\n");

File name: /usr/local/lib/node_modules/live-server/node_modules/proxy-middleware/index.js

- 110: var rewrittenCookie = existingCookies[i].replace(/(Domain)=[a-z\\.-_]*?(;|\$)/gi, '\$1=' + rewriteHostname + '\$2');

File name: /usr/local/lib/node_modules/live-server/node_modules/mime/mime.js

- 57: var fields = line.replace(/s*#.*|^s*|s*\$ /g, '').split(/s+/);

File name: /usr/local/lib/node_modules/live-server/node_modules/urix/index.js

- 11: .replace(/\\/g, "/")

File name: /usr/local/lib/node_modules/live-server/node_modules/upath/build/code/upath.js

- 34: p = p.replace(/\\/g, "/");

File name: /usr/local/lib/node_modules/live-server/node_modules/morgan/index.js

- 379: var js = ' "use strict"\n return ' + fmt.replace(/:([-\\w]{2,})?(?:\\[[^\\]]+\\])?/g, function (_, name, arg) {

File name: /usr/local/lib/node_modules/live-server/node_modules/micromatch/lib/parsers.js

- 66: var val = m[0].replace(/([\^\\$])/g, '\\\\\$1');

File name: /usr/local/lib/node_modules/live-server/node_modules/micromatch/lib/utils.js

- 135: return str.replace(/[-[\]{}()^\$|*+?.\\\/\s]/g, '\\\$&');
- 146: return str.replace(/\\+/g, '/');
- 157: return utils.toPosixPath(str.replace(/\\((?=[*+?!.])|)/g, ''));

File name: /usr/local/lib/node_modules/live-server/node_modules/decode-uri-component/index.js

- 74: `input = input.replace(new RegExp(key, 'g'), replaceMap[key]);`
- 86: `encodedURI = encodedURI.replace(/\/+g, ' ');`

File name: /usr/local/lib/node_modules/live-server/node_modules/uuid/lib/v35.js

- `6:uuid.replace(/[a-fA-F0-9]{2}/g, function(hex) {`

File name: /usr/local/lib/node_modules/live-server/node_modules/serve-index/node_modules/http-errors/index.js

- `259:}).join('').replace(/[^\_0-9a-z]/gi, '')`

File name: /usr/local/lib/node_modules/live-server/node_modules/serve-index/index.js

- 305: `.replace(/\{style\}/g, locals.style.concat(iconStyle(locals.fileList, locals.displayIcons)))`
- 306: `.replace(/\{files\}/g, createHtmlFileList(locals.fileList, locals.directory, locals.displayIcons, locals.viewName))`
- 307: `.replace(/\{directory\}/g, escapeHtml(locals.directory))`
- 308: `.replace(/\{linked-path\}/g, htmlPath(locals.directory));`
- 474: `return path.split(sep).join('/');`

File name: /usr/local/lib/node_modules/live-server/node_modules/pascalcase/index.js

- 12: str = str.replace(/([A-Z])/g, ' \$1');
- 14: str = str.replace(/^\([W_]+|([W_]+)\$/, '').toLowerCase();
- 16: return str.replace(/([W_]+)([w\$])/g, function (_, ch) {

File name: /usr/local/lib/node_modules/live-server/node_modules/braces/lib/parsers.js

- 59: node.val = node.val.replace(/\\([{}])/g, '\$1');
- 344: var val = match.replace(/\\{/g, ',').replace(/\\}/g, ',');

File name: /usr/local/lib/node_modules/live-server/node_modules/braces/lib/utils.js

- 342: `return str.replace(/\\"?([!~*() [\] {}+?/])/g, '\\\"$1');`

File name: /usr/local/lib/node_modules/live-server/node_modules/braces/lib/compilers.js

- `28: inner = inner.replace(/\\(?:=[\\w]|$)/g, '\\\\');`

- 100: val = val.replace(/\\([,.])/g, '\$1');
- 102: val = val.replace(/['"]/g, '');`

File name: /usr/local/lib/node_modules/live-server/node_modules/graceful-fs/graceful-fs.js

- 30: m = 'GFS4: ' + m.split(/\n/).join('\nGFS4: ');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/needle/test/cookies_spec.js

- 31: str = str.toString().replace(/[\x00-\x1F\x7F]/g, encodeURIComponent);
- 32: return str.replace(/[\s\"\\,;\%]/g, encodeURIComponent);

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/strip-json-comments/index.js

- 10: return str.slice(start, end).replace(/\\S/g, '');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/sax/lib/sax.js

- 640: if (opt.normalize) text = text.replace(/\\s+/g, '');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/iconv-lite/encodings/utf7.js

- 162: bufIdx += buf.write(base64Accum.slice(0, base64AccumIdx).toString('base64').replace(/\\/g, ',').replace(/=+\$/, ''), bufIdx);
- 187: bufIdx += buf.write(base64Accum.toString('base64').replace(/\\/g, ',').replace(/=+\$/, ''), bufIdx);
- 204: bufIdx += buf.write(this.base64Accum.slice(0, this.base64AccumIdx).toString('base64').replace(/\\/g, ',').replace(/=+\$/, ''), bufIdx);
- 248: var b64str = base64Accum + buf.slice(lastI, i).toString().replace(/,/g, '/');
- 265: var b64str = base64Accum + buf.slice(lastI).toString().replace(/,/g, '/');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/iconv-lite/lib/index.js

- 113: return (''+encoding).toLowerCase().replace(/:\d{4}\$|^[^0-9a-z]/g, "");

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/brace-expansion/index.js

- 19: return str.split('\\\\').join(escSlash)
- 20: .split('\\{').join(escOpen)
- 21: .split('\\}').join(escClose)
- 22: .split('\\,',').join(escComma)
- 23: .split('\\.',').join(escPeriod);
- 27: return str.split(escSlash).join('\\\\')
- 28: .split(escOpen).join('{')
- 29: .split(escClose).join('}')

- 30: .split(escComma).join(',')
- 31: .split(escPeriod).join('.');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/semver/semver.js

- 909: range = range.split(/\s+/).join(' ')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/ini/ini.js

- 61: return str.replace(/\\1/g, '\u0002LITERAL\\1LITERAL\u0002')
- 62: .replace(/\\\. /g, '\u0001')
- 64: return part.replace(/\\1/g, '\\.')
- 65: .replace(/\\2LITERAL\\1LITERAL\\2/g, '\u0001')
- 126: var nl = l.replace(/\\\. /g, '.')
- 156: : val.replace(/;/g, '\\;').replace(/#/g, '\\#')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/minimatch/minimatch.js

- 124: pattern = pattern.split(path.sep).join('/')
- 524: tail = tail.replace(/((?:\\{2}){0,64})(\\?)\\|/g, function (_, \$1, \$2) {
- 713: f = f.split(path.sep).join('/')
- 918: return s.replace(/\\(.) /g, '\$1')
- 922: return s.replace(/[-[\\{}()*+?.,\\^\$|#\\s] /g, '\\\$&')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/npm-normalize-package-bin/index.js

- 37: const base = join('/', basename(binKey.replace(/\\|: /g, '/'))).substr(1)
- 43: .replace(/\\ /g, '/').substr(1)

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/glob/sync.js

- 411: prefix = prefix.replace(/\\ /g, '/')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/glob/common.js

- 104: self.root = self.root.replace(/\\ /g, '/')
- 110: self.cwdAbs = self.cwdAbs.replace(/\\ /g, '/')
- 216: abs = abs.replace(/\\ /g, '/')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/glob/glob.js

- 702: prefix = prefix.replace(/\\ /g, '/')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/tar/lib/winchars.js

- 21: encode: s => raw.reduce((s, c) => s.split(c).join(toWin.get(c)), s),
- 22: decode: s => win.reduce((s, c) => s.split(c).join(toRaw.get(c)), s)

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/tar/lib/write-entry.js

- 67: this.path = winchars.decode(this.path.replace(/\\/g, '/'))
- 68: p = p.replace(/\\/g, '/')

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/node-pre-gyp/lib/util/versioning.js

- 71: 'v8-' + versions.v8.split('.').slice(0,2).join('.');
- 259: return pathname.replace(/\\/g, '/');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/node-pre-gyp/lib/testbinary.js

- 30: var binary_module = opts.module.replace(/\\/g, '/');
- 73: args.push("require('" + binary_module.replace(/'/g, '\\') + "')");

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/node-pre-gyp/lib/reveal.js

- 12: return val && val.replace ? val.replace(/\\/g, '/') : val;
- 25: console.log(opts[remain].replace(/\\/g, '/'));

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/debug/dist/debug.js

- 543: args[0] = args[0].replace(/%([a-zA-Z%])/g, function (match, format) {
- 622: namespaces = split[i].replace(/%/g, '%');
- 771: args[0].replace(/%([a-zA-Z%])/g, function (match) {

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/debug/src/node.js

- 47: var prop = key.substring(6).toLowerCase().replace(/_([a-z])/g, function (_, k) {
- 88: args[0] = prefix + args[0].split('\n').join('\n' + prefix);
- 163: return util.inspect(v, this.inspectOpts).replace(/%s\n%s/g, '');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/debug/src/common.js

- 93: args[0] = args[0].replace(/%([a-zA-Z%])/g, function (match, format) {
- 172: namespaces = split[i].replace(/%/g, '%');

File name: /usr/local/lib/node_modules/live-server/node_modules/fsevents/node_modules/debug/src/browser.js

- 72: args[0].replace(/%([a-zA-Z%])/g, function (match) {

File name: /usr/local/lib/node_modules/live-server/node_modules/debug/src/node.js

- 41: .replace(/_([a-z])/g, function (_, k) { return k.toUpperCase() });
- 116: args[0] = prefix + args[0].split('\n').join('\n' + prefix);

File name: /usr/local/lib/node_modules/live-server/node_modules/debug/src/browser.js

- 98: args[0].replace(/%[a-zA-Z%]/g, function(match) {

File name: /usr/local/lib/node_modules/live-server/node_modules/debug/src/debug.js

- 94: args[0] = args[0].replace(/%([a-zA-Z%])/g, function(match, format) {
- 149: namespaces = split[i].replace(/\/*/g, '.*?');

File name: /usr/local/lib/node_modules/live-server/node_modules/nanomatch/lib/utils.js

- 152: return str.replace(/[-\[\]\{\}\^\$|*+?.\\\/\s]/g, '\\\$&');
- 164: return s.replace(/\\?([+*\\\/])/g, '\\\$1');
- 187: return str.replace(/\\+/g, '/');
- 198: return utils.toPosixPath(str.replace(/\\(?:[+*?!])/g, ''));

File name: /usr/local/lib/node_modules/live-server/node_modules/nanomatch/lib/compiler.js

- 126: inner = inner.replace(/\\?(\\w)/g, '\\\$1');

File name: /usr/local/lib/node_modules/live-server/node_modules/glob-parent/index.js

- 10: if (isWin32 && str.indexOf('/') < 0) str = str.split('\\').join('/');
- 23: return str.replace(/\\([*?\\|\\[\\]\\(\\)\\{\\}])/g, '\$1');

File name: /usr/local/lib/node_modules/live-server/node_modules/source-map-resolve/lib/decode-uri-component.js

- 5: return decodeURIComponent(string.replace(/\\+/g, '%2B'))

File name: /usr/local/lib/node_modules/live-server/index.js

- 27: .replace(/&(?!\w+;)/g, '&')
 - 28: .replace(/</g, '<')
 - 29: .replace(/>/g, '>')
 - 30: .replace(/"/g, '"');
-